## Propositions accompanying the thesis Novel approaches for direct exoplanet imaging: theory, simulations and experiments

1. Misinterpretation of the scientific methodology of others can lead to new insights.

[Chapter 2 & 3]

2. Having single-mode fibers instead of detector pixels in the coronagraphic focal plane relaxes the design of the apodizer mask for pupil-plane coronagraphs.

[Chapter 3 & 4]

- 3. Good software design acts as a "force multiplier" for scientific research. [Chapter 5]
- 4. While scintillation is safely ignored in most high-contrast imaging applications, its interference with lagged phase speckles can produce surprisingly strong asymmetries in coronagraphic images.

[Chapter 6]

5. Coronagraphs with a one-sided dark zone can provide excellent postcoronagraphic performance in conjunction with high-order wavefront sensor telemetry.

[Chapter 7 & 8]

- 6. Blind application of artificial intelligence algorithms leads to a lack of understanding of the scientific problem at hand.
- 7. Project post-mortem analyses should be conducted for astronomical instruments, and their reports should be made openly available.
- 8. Automated unit testing is underused in astronomical software projects.
- Software packages are rarely mentioned in talks or cited in publications. This discourages ongoing development and maintenance, and fragments the software stack in astronomy.
- 10. Never underestimate to what degree face-to-face social interaction is fundamental to your own mental wellbeing.
- 11. Feature creep is the enemy of getting things done.
- 12. Flying stars can be the result of a broken telescope.

Emiel Hugo Por Leiden, November 2020